



PID-3281925



# REKHA Enterprises

Special Purpose Machines for Printing, Punching & Packaging




# DIE CUTTING, SPROCKETING & SHEET CUTTING MACHINE (RE-DSS-450)

**3 IN 1**

Barcode Label  
Computer Stationery  
Inkjet Lable Sheet

## Specification


- AC variable speed
- Electronic web guide
- Paper width 450 mm
- Label count / Mtrs Count with Batch Overstop
- Unwind / Rewind Diameter 600 mm



# FLEXO PRINTING MACHINE (RE-FPR-250)

## Specification

- Printing Station up to 4 colour
- IR system for colour drying
- Die cutting & sheeting station
- Electronic web guide
- AC variable speed
- Paper width upto 350 mm
- Label count / Mtrs Count with Batch Overstop
- Unwind / Rewind Diameter 600 mm



# FLAT BED LABEL PUNCHING MACHINE (RE-DCM-250)

## Specification


- AC variable speed
- Maximum Punching size 250mm x 250mm
- Paper pulling with stepper motor
- Motorize waste rewriter
- Speed 150 impression per minute



# PAPER REWINDER FOR CORONA TREATMENT (RE-PRW-350)

## Specification


- AC variable speed
- Paper Width 350mm
- Electronic web guide
- Unwind / Rewind diameter 600mm



# LABEL COUNTING / SLITTING MACHINE (RE-LSM-300)

## Specification

- AC variable speed
- Electronic web guide
- Paper width 300 mm
- Label count / Mtrs Count with Batch Over stop
- Doctor Bled/Rotary Bled Slitting Moveable Trolley
- Unwind / Rewind 600 mm
- 1", 1½" and 3" core mandrel



## ROTARY DIE CUTTING MACHINE (RE-RDC-300)

### Specification

- AC variable speed
- Electronic web guide
- Paper width 300 mm
- Label count / Mtrs Count with Batch Overstop
- Doctor Bled Slitting Moveable Trolley
- Unwind / Rewind 600 mm
- 1", 1½" and 3" core mandrel



## ROTARY DIE CUTTING MACHINE (RE-RDC-175)

### Specification

- AC variable speed
- Electronic web guide
- Paper width 175 mm
- Label count / Mtrs Count with Trolley
- Doctor Bled Slitting Movable Trolley
- Unwind / Rewind 600 mm
- 1", 1½" and 3" core mandrel




## TTR CONVERTING MACHINE

(RE-TTR-110)

### Specification

- DC variable speed
- Ribbon width Maximum 110mm
- Meter count with batch over stop




## EXTERNAL LABEL REWINDER

(RE-ERW-150)

### Specification

- DC Variable Speed
- 1", 1½" and 3" core mandrel





# REKHA Enterprises

Unit No.2, Rehal Compound Near Chaitanya Casting,  
Opp. State Bank of India, L.B.S. Road, Bhandup West, Mumbai – 400 078  
Tel: 022-64224684 ❖ Mobile: +91 9820105987  
Email: rekhaent21@gmail.com ❖ Website: rekhamachinerytools.com



# REKHA Enterprises

**Special Purpose Machine for Printing, Punching & Packaging**




## **REKHA Enterprises**

Unit No.2, Rehal Compound Near Chaitainya Casting, Opp. State Bank of India, L.B.S. Road,  
Bhandup West, Mumbai – 400 078. Tel: 022-64224684 ❖ Mobile: +91 9820105987  
Email: rekhaent21@gmail.com ❖ Website: rekhamachinerytools.com


## ROTARY DIE CUTTING MACHINE RE – RDC – 300

- Single Phase Power Supply
- A. C. Variable Speed
- Paper Width 300 mm
- Electronic Web guide
- Rotary Blade / Doctor Blade Slitting
- L:able Count / Meter Count with Batch Over Stop
- Unwind Diameter 600 mm / Rewind Diameter 600 mm
- Pneumatic Core Mandrel



## ROLL TO ROLL DIE CUTTING MACHINE RE – DCM – 250

- Single Phase Power Supply
- A. C. Variable Speed
- Paper Pulling with Stepper Motor
- Maximum Punching Area 250 mm x 250 mm
- Motorize Waste Rewinder with Variable Speed
- Speed Maximum 150 Impression per Minute



## LABLE COUNTING SLITTING MACHINE RE – LSM – 300

- Single Phase Power Supply
- A.C. Variable Speed
- Paper Width 300 mm
- Lable Count / Meter Count with Batch Over Stop
- Rotary Blade / Doctor Blade Slitting Moveable Trolley
- Unwind Diameter 600 mm / Rewind Diameter 400 mm
- Speed 60 Mtr Per minute.
- 1", 1 1/2", 3" Pneumatic Core Mandrel
- Auto Web Guide




## LABLE SLITTING/COUNTING MACHINE RE – SC – 300

- A.C. Variable Speed
- Paper Width 300 mm
- Lable Count / Meter Count with Batch Over Stop
- Rotary Blade / Doctor Blade Slitting Moveable Trolley
- 1", 1 ½ ", 3" Pneumatic Core Mandrel
- Autoweb Guide
- Speed 100 Mtrs. Per Minute
- Unwind Diameter 600 mm / Rewind Diameter 400 mm

### OPTION

- Missing Lable Detector
- Stroboscopes For Inspection



## LABLE INSPECTION MACHINE RE – LIM – 300



- Single Phase Power Supply
- A.C. Variable Speed
- Paper Width 300 mm
- 3" Pneumatic Core Mandrel
- Unwind Diameter 600 mm / Rewind Diameter 600 mm
- Memory Backup LED Lable / Meter Count
- Slitting with Doctor Blade
- Batch Over stop Facility
- Forward / Reverse Direction

### OPTION

- Stroboscope for Inspection


## LABLE COUNTING MACHINE WITH INKJET PRINTING RE – CIP – 200

- Single Phase Power Supply
- A.C. Variable Speed
- Forward / Reverse Direction
- Lable Counter with Batch Over Stop
- Unwind Diameter 600 mm/ Rewind Diameter 600 mm



## ROLL TO SHEET CUTTING MACHINE RE – SE – 300

- Single Phase power Supply
- Paper width 300 mm
- Electronic Pulling System with Stepper Motor




## SHREDDING MACHINE RE – SRD – 500

- Three Phase Power Supply
- Strip Size as per Requirement
- Waste Collecting Box

## LABLE STOCK SLITTING MACHINE RE – LSM – 500


- Single Phase Power Supply
- A.C. Variable Speed
- Paper Width 500 mm
- Slitting with Doctor Blade
- Unwind Diameter 600 mm / Rewind Diameter 600 mm
- 3" Pneumatic Core Mandrel for Rewinding
- Electronic Web guide





## LABLE SHEET CUTTER RE – LSC – 300

- Single Phase Power Supply
- Paper Width 300 mm





## LABLE UNWINDER RE – LU – 300

- Single Phase Power Supply
- Heavy Structure
- Maximum Roll Diameter 600 mm

## LABLE REWINDER RE – LR – 600

- Single Phase Power Supply
- Variable Speed Control
- Forward / Reverse Direction
- Rewinding Diameter 600 mm



## EXTERNAL LABLE REWINDER RE – LR – 100

- Single Phase Power Supply
- Variable Speed Control
- Forward Reverse Direction
- 1" Core Mandrel

## NOTCH CUTTING MACHINE RE – NC

- Notch Size as per requirement
- For ½", 1", 1 ½" Core

## TABLE INSPECTION MACHINE RE – LIM – 150

- Single Phase Power Supply
- Variable Speed Control
- Table Counter
- Up – Down Light Source
- Foot Switch for Start Stop




## HOT STAMPING MACHINE RE – HST – 150

- Single Phase Power Supply
- Pneumatic Operation
- Stepper Motor for Foil Pulling

## TABLE HALF CUTTING MACHINE RE – SE – 600

- Single Phase Power Supply
- DC Variable Speed
- Paper Width 600 mm
- Rotary Blade Width Individual Adjustable Pressure



## CORE CUTTING MACHINE RE – CCM – 500

- Single Phase Power Supply
- 1", 1 ½", 3" Core Mandrel